



ACCESS

Ladder | Steps | Mobile

Safe Up
Safe Down
Safe Home

DR.LADDER AIR HUNT



4 in 1

 **TELESCOPING**

 **STAIRCASE**

 **A-FRAME**

 **90-DEGREE**





Complies with all Applicable
AS 1892.1 Standards



Optional
Accessories



A-FRAME
EXTENSION
STAIRCASE
90-DEGREE



AIR HUNT

	W	D	H	Max Height		H	KG
				D	H		
DRAH17	620	960	1310	1450	2190	4580	15.3
DRAH22	710	1080	1600	1940	2760	5800	21.1
DRAH26	790	1280	1900	2260	3330	7000	26

All dimensions are in MM unit, tolerance ± 10 mm



DR.LADDER

EASY=Fit

EXCLUSIVE IN HONG KONG

ELEGANT
FIBERGLASS
TEXTURE



STRONG
DIAGONAL
BRACE



ONE BUTTON
OPEN /
CLOSE



FLEXIBLE
SWIVEL
FOOT PAD



ADDITIONAL
FOOT PAD
IS AVAILABLE !





額外配件均可有售!

FIBERGLASS




Insulated



Item No.	Retracted (A)	Top Width (B)	Bottom Width (C)	Extended Height (D)	Max. Standing Height (E)	Max. Working Weight (kg)
DREF39-FG	870	430	470	3900	2970	136

All measurements in MM

ALUMINIUM



Item No.	Retracted (A)	Top Width (B)	Bottom Width (C)	Extended Height (D)	Max. Standing Height (E)	Max. Working Weight (kg)
DREF38	810	430	460	3800	2860	136

All measurements in MM



DR.LADDER

EASY=Fit A

EXCLUSIVE IN HONG KONG



PORTABLE

SAFE

EXCLUSIVE


**STAIR-WORK
MASTER**



FIBERGLASS




Insulated



Item No.	Retracted (A)	Top Width (B)	Bottom Width (C)	Extended Height (D)	Max. Standing Height (E)	Max. Working Weight (kg)
DREFA33-FG	830	430	810	3300	2300	136

All measurements in MM, tolerance $\pm 10\text{mm}$

ALUMINIUM




Item No.	Retracted (A)	Top Width (B)	Bottom Width (C)	Extended Height (D)	Max. Standing Height (E)	Max. Working Weight (kg)
DREFA183	750	430	650	1790	900	170
DREFA295	890	430	790	2980	1930	170

All measurements in MM unit, tolerance $\pm 10\text{mm}$

DR.LADDER EASY *go*



COMPACT



FIT ALL HOMES






EASY *go*

LIGHTER

SINGLE-SIDED

All measurements in MM unit (tolerance $\pm 10\text{mm}$)



Model	Step	Step Distance	Dimensions				Folded			Weight (kg)
			W	D	H1	H2	W	D	H3	
DREG04S	4	300	480	850	1160	1460	90	80	1510	5.8
DREG05S	5	300	500	1000	1440	1750	90	80	1810	6.8



STRONGER


DOUBLE-SIDED

All measurements in MM unit (tolerance $\pm 10\text{mm}$)

Model	Step	Step Distance	Dimensions				Folded			Weight (kg)
			W	D	H1	H2	W	D	H3	
DREG05D	5	300	500	1050	1440	1780	120	80	1850	9.5
DREG06D	6	300	540	1210	1730	2060	120	80	2150	11.1



DR. LADDER EVERSAFE




Safety Lock System
Non-slip Work Surface



DR.LADDER EVERSAFE



Handrails prevent misstep while concentrating on work



Item No.	Step	W x D x H	Handrail (W1xD1xH1)	Weight (kg)
SPL-NFB07	3	1480 x 800 x 750	1060 x 470 x 960	18
SPL-NFB10	4	1600 x 900 x 1000	1060 x 470 x 960	19
SPL-NFB12	4	1665 x 1000 x 1150	1060 x 470 x 960	20
SPL-NFB14	5	1950 x 1200 x 1365	1200 x 470 x 960	23

All measurements are in MM unit (tolerance $\pm 10\text{mm}$)

LITE

 DR.LADDER

EVERSAFE

 STRONG & LIGHT



Greater Working Space
+ Small Storage

SPL-NAS12-001



Exclusive Safety
Lock System



85° Hardness
Non-slip Rubber Feet



DR.LADDER EVERSAFE



ACCESSORIES

◀ Handrails prevent mis-step while concentrating on work



FOLDABLE LEGS



SPL-NAS10-001




Item No.	D1	W1	H1	Weight (kg)	Handrail (D2 x W2 x H2)	Weight (kg)
SPL-NAS05-001	504	990	483	5.3	-	-
SPL-NAS07-001	535	1432	750	7.2	420 x 1000 x 960	8
SPL-NAS10-001	575	1573	1011	8.3	420 x 1000 x 960	8
SPL-NAS12-001	596	1852	1160	11	420 x 1200 x 960	9

All measurements are in MM unit (tolerance $\pm 10\text{mm}$)



HandyHelper



LARGE PLATFORM



WIDE STEP



SAFETY LOCK
ONLY FOR
HANDYHELPER SERIES




SAFETY LOCK
ONLY FOR
SPECIAL SERIES

Platform Size
326mm W x 360mm D



Max Load 20kg



HandyHelper

	W	D	H	H	KG
DRHH-SAS02	473	660	487	1107	4.9
DRHH-SAS03	530	845	767	1387	5.8
DRHH-SAS04	575	1020	1047	1667	6.7
DRHH-SAS05	616	1220	1327	1947	7.6
DRHH-SAS06	656	1405	1607	2227	8.9

HandyHelper Special

	W	D	H	H	KG
DRHH-SAS07-S	695	1580	1887	2507	10.7
DRHH-SAS08-S	740	1760	2167	2787	12.4

(All dimensions are in MM unit, tolerance $\pm 10\text{mm}$)





Handy Helper

LITE



Safe and Comfortable, Light weight, Cap-lock top platform,
Anti-Slip feet and platform, higher frame is designed as safety handle.
This item is your best helper for domestic us



HandyHelper Lite	W	D	H	TH	KG
DRHHL-SAS02	400	513	395	1005	3.5
DRHHL-SAS03	424	666	611	1221	4.1
DRHHL-SAS04	448	819	827	1436	4.69
DRHHL-SAS05	472	973	1042	1652	5.44
DRHHL-SAS06	496	1126	1258	1868	6.93
DRHHL-SAS07	520	1279	1474	2084	7.94
DRHHL-SAS08	544	1433	1690	2299	8.94

(All dimensions are in MM unit, tolerance $\pm 10\text{mm}$)





DR.LADDER HEROSTEP

**HEAVY DUTY
MUST HAVE !**

THE STRONGEST HERO ON EARTH

7-layers fiberglass materials,
V-step exclusive design,
strong and stable anti-slip
feet, safety handle to keep
balance easily, strong hinge
with anti-stripping
connection for durability,
Lock spreaders included.





Strong Connection Structure



Exclusive Locking System



Double Support Safety Footing

ACCESSORIES

Safety Handle



Item No.

Step

W x D

Height
Opened / Storage

Weight
(kg)

TR-DFB02

2

407 x 533

500 / 580

4.6

TR-DFB04

4

489 x 927

1078 / 1178

9

TR-DFB06

6

570 x 1320

1655 / 1740

12.6

TR-DFB08

8

652 x 1713

2233 / 2340

16.5

TR-DFB10

10

733 x 2107

2811 / 2960

21

TR-DFB12

12

815 x 2500

3388 / 3600

26

TR-DFB14

14

895 x 2893

3965 / 4180

30.6

TR-DFB16

16

977 x 3287

4545 / 4760

35.2

All measurements are in MM unit (tolerance $\pm 10\text{mm}$)



DR.LADDER



SAFE

The SKY-Reach is engineered to avoid accidents and to save lives.



EASY TO ADJUST

With the Pulley system, we can use the rope easily to adjust the overall height of the ladder!



COMPACT STORAGE

Store shorter, Reach higher !



***The SKY-Reach is equipped with rubber pad / spike feet for all kinds of ground.



SKY REACH



Width 460



Item No.	Step	Storage Height	Height Extension Max.	Weight (kg)
EX-NFB08	8 x 2	2530	4060	14.8
EX-NFB10	10 x 2	3140	5280	18.1
EX-NFB12	12 x 2	3750	6500	20.9
EX-NFB14	14 x 2	4360	7720	23.9
EX-NFB16	16 x 2	4970	8940	27.5

All measurements are in MM unit (tolerance $\pm 10\text{mm}$)



**Design Patent
Structure -
Our exclusive
V-shape base rung
is the strongest
rung for heavy
weight support.**



**SKY-Solo is for you to
Work around Electricity**



DR.LADDER

ACCESSORIES
Safety Handle

Stabilized Hanger



Item No.	Step	Width	Height	Weight (kg)
ST-NFB08	8	460	2630	8.9
ST-NFB10	10	460	3240	10.9
ST-NFB12	12	460	3850	13.2
ST-NFB14	14	460	4460	15.9

All measurements are in MM unit (tolerance $\pm 10\text{mm}$)

SKY
SOLO




DR.LADDER

Tree Mate

Tripod Ladders are the safest, most stable and practical garden ladders. The wide base, deep steps, telescopic back leg, as well as broad clawed feet and flat top make DR SAFETY Tripod Ladder incredibly safe and easy to use.

*Useful and
Remarkably light!*





TreeMate



Item No.	Step	Width	Height Opened / Storage	Weight (kg)
GSC-180T	6	1250	1810 / 1940	6.7
GSC-240T	8	1250	2410 / 2560	8.3
GSC-300T	10	1470	3010 / 3190	10.5
GSC-360T	12	1470	3610 / 3810	12.1

All measurements are in MM unit

DR.LADDER

U-SAFE

POLYURETHANE FIBER PLATFORM LADDER

LITE



Handrail & Safety Bar
with Easy Lock

Custom Made
Safety Net

FIBERGLASS are non-conductive
for working near electricity.

Non-Slip Platform

Extra Safety Structure
for 7 & 8 Steps Ladders

+ PLUS



Additional x4
Suspension Casters
allow for 360 degree
mobility is Steel mounted.

Easy Transporting
Built-in Back Wheels

Wide & Slip Resistant Steps
for Comfort & Security




DR.LADDER

U-SAFE

POLYURETHANE FIBER PLATFORM LADDER

KG
150

2-8



MODEL	Net Weight (KG)	W	D	H	H2	Working Height
PL-SFY04-001	13.6	655	1152	1990	1034	3034
PL-SFY05-001	15.0	697	1330	2268	1313	3313
PL-SFY06-001	17.1	740	1520	2557	1607	3607
PL-SFY07-001	18.9	781	1680	2841	1890	3890
PL-SFY08-001	20.8	823	1851	3128	2177	4177

LITE

DR.LADDER


DR.LADDER

U-SAFE

ALUMINUM PLATFORM LADDER



EVERY STEP MATTERS !



MODEL	Net Weight (KG)	W	D	H	H2	Working Height
PL-SAY02-001	10	566	740	1426	482	2482
PL-SAY03-001	11	610	920	1711	760	2763
PL-SAY04-001	13	655	1095	1990	1040	3034
PL-SAY05-001	14.5	697	1281	2268	1322	3313
PL-SAY06-001	16	740	1460	2557	1605	3607

All measurements in MM unit (tolerance ±10mm)



DR.LADDER U-SAFE



KG
150

2-8

FIBERGLASS PLATFORM LADDER



Easy Safe Lock



Built-in Back Wheels



Easy Folding for Storage



Adjustable Stabiliser with Slip Resistant Feet



MODEL	Net Weight (KG)	W	D	H	H2	Working Height
PL-SFY02-007	9.9	571	782	1426	482	2482
PL-SFY03-007	11.2	595	968	1711	763	2763
PL-SFY04-007	16.7	655	1152	1990	1034	3034
PL-SFY05-007	18.1	697	1330	2268	1313	3313
PL-SFY06-007	20.5	740	1520	2557	1607	3607
PL-SFY07-007	22.3	781	1680	2841	1890	3890
PL-SFY08-007	24.2	823	1851	3128	2177	4177

All measurements in MM unit (tolerance $\pm 10\text{mm}$)

JOIN US NOW



DR.SAFETY[®]
WORLD

For more information,
Please call +852 52173378

DRSAFETY-WORLD.COM



DR.LADDER EVERSAFE



Safety Lock System
Non-slip Work Surface